-	Application No.	Applicant(s)
Notice of Allowability	10/629,914	SCHECK, HANS-OTTO
	Examiner	Art Unit
	KHAI TRAN	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amendment filed 11/01/2007.		
2. The allowed claim(s) is/are <u>1-28</u> .		
<ul> <li>3.</li></ul>		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendr	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	

10/629,914 Art Unit: 2611

## REASONS FOR ALLOWANCE

1. The amendment filed 11/01/2007 has been entered. Claims 1-28 are pending in this Office action.

## Allowable Subject Matter

- 2. Claims 1-28 are allowed.
- The following is an examiner's statement of reasons for allowance: none of the 3. prior discloses or suggests along or combination of the teachings of a digital imbalance correction device, comprising: a cross-correlator configured to receive at its inputs third input signals based on the first input signals, and to output a cross-correlation of the third input signals, the cross-correlation output being proportional to a phase error between the respective correlation input signals; a gain corrector arranged in one of the respective signal branches and configured to receive at its input a fourth input signal based on the associated first input signal, wherein a gain of the fourth input signal is corrected based on the power difference spectrum such that the gain of the fourth input signal equals the gain of the other one of the first input signals; and a phase corrector arranged in one of the respective signal branch and configured to receive at its input a fifth input signal based on the associated first input signal, wherein a phase of the fifth input signal is corrected based on the cross-correlation output, such that the phase of the fifth input signal is in quadrature relation to the other one of the first input signals, as recited in claims 1, 11, 16, 27, 28.

Application/Control Number:

10/629,914 Art Unit: 2611

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on (571) 272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/629,914 Art Unit: 2611

Page 4

Manguary KHAI TRAN

Primary Examiner Art Unit 2611

KT January 16, 2008